

□□□ □□□ □□ □□ □ □□□□□□□

Product Description

□□ □□ □□ □ □□ □ □□ □□ □□ pvc

1. □□ □□.: SQ-501B
2. □□: □□ □□□□□□ □□ □□ □□ □□ □□ □□
3. □□: 39-45 (5-11)
4. □□: 100 % PVC □□ & □□
5. □: □□□□ □□□ □□ □□□□ □
6. □□□ : □ □□ □ □□
7. □□: 1.15 □□□□ / □□ (□□)
8. □□: PVC □□
9. □□: □□/ □□/ □□□□/ □□/ □□ / □□ / □□ □□□□. □□outsole□ □□□□□□ □□□□□□.□□ □□, □ □□□ □□ □□□ □□□ □□, □□□□ □ □□□ □□.
10. □□: □□ □□, □□, □□, □□, □□ □□, □□ □
11. □□: □ □□
12. □□ : □ □□ □□□ quality □□, □□ □□ □□□.
13. □□ □□ □ 1 □ □, □□ □ 18 □. □□ □□□ □□ □□□□ G.W./N.W .: 23KGS / 21KGS

Product Pictures





Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**



Canton Fair

Canton Fair



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY