

## Product Description

Product Name:	CE verified anti slip waterproof pvc safety rain boots
Item No:	106-5
Color:	Yellow upper with black sole
Size:	36-47
Average weight:	2.0-2.2 kgs/pr
Material:	PVC upper and PVC sole
Lining:	Easily dried polyester
Construction:	PVC injection
Standard	Meet CE EN ISO 20345 standard (with steel toe and steel plates)
Steel Toe Protection	Meet 200 Joule
Steel Toe Protection	Meet 1500 Newton
Puncture Resistant	Meet 1100 Newton
Characteristics	<ol style="list-style-type: none"> <li>1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static rubber boots.</li> <li>2. Steel toe can be Impact &amp; amp; compression resistant.</li> <li>3. steel plate can be puncture resistant.</li> <li>4. outsole is abrasion resistant and Contract.</li> <li>5. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel</li> <li>6. resistant at low temperatures.</li> </ol>
Guarantee:	5 months, robust and solid quality.
Package:	1 pair per poly bag, 10 pairs per carton
Carton Size:	50 x 30 x 48 cm
G.W./N.W.:	22KGS/ 20KGS
Sample time:	Within 1 week
Sample charge:	one pair sample is free, customer need to pay the freight charge.

## Product Pictures



**Certificate**



Issued to:	BUNDESHANDELSKAMM E.V. Karlplatz 10, 10179 Berlin, 90-202 (030) 46380-100, FAX: 030-46380-1000																																					
Issue Date:	15 September 2008																																					
Expiry Date:	15 September 2011																																					
Contract No.:	11100006 (11 Extension to Certificate L1000011000)																																					
Product Reference(s):	B7275 (p. 324) B7A3 (p. 328-32)																																					
Designation:	<table border="1"> <tr> <th>Construction</th> <th>Designation</th> </tr> <tr> <td>General</td> <td>Conductor's Tapes</td> </tr> <tr> <td>Material</td> <td>Aluminum</td> </tr> <tr> <td>Size</td> <td>1170 x 1174</td> </tr> <tr> <td>Weight</td> <td>1170 x 1174</td> </tr> <tr> <td>Temperature</td> <td>1170 x 1174</td> </tr> <tr> <td>Insulation</td> <td>1170 x 1174</td> </tr> <tr> <td>Surface</td> <td>1170 x 1174</td> </tr> <tr> <td>Other</td> <td>1170 x 1174</td> </tr> </table>	Construction	Designation	General	Conductor's Tapes	Material	Aluminum	Size	1170 x 1174	Weight	1170 x 1174	Temperature	1170 x 1174	Insulation	1170 x 1174	Surface	1170 x 1174	Other	1170 x 1174	<table border="1"> <tr> <th>Construction</th> <th>Designation</th> </tr> <tr> <td>General</td> <td>Conductor's Tapes</td> </tr> <tr> <td>Material</td> <td>Aluminum</td> </tr> <tr> <td>Size</td> <td>1170 x 1174</td> </tr> <tr> <td>Weight</td> <td>1170 x 1174</td> </tr> <tr> <td>Temperature</td> <td>1170 x 1174</td> </tr> <tr> <td>Insulation</td> <td>1170 x 1174</td> </tr> <tr> <td>Surface</td> <td>1170 x 1174</td> </tr> <tr> <td>Other</td> <td>1170 x 1174</td> </tr> </table>	Construction	Designation	General	Conductor's Tapes	Material	Aluminum	Size	1170 x 1174	Weight	1170 x 1174	Temperature	1170 x 1174	Insulation	1170 x 1174	Surface	1170 x 1174	Other	1170 x 1174
Construction	Designation																																					
General	Conductor's Tapes																																					
Material	Aluminum																																					
Size	1170 x 1174																																					
Weight	1170 x 1174																																					
Temperature	1170 x 1174																																					
Insulation	1170 x 1174																																					
Surface	1170 x 1174																																					
Other	1170 x 1174																																					
Construction	Designation																																					
General	Conductor's Tapes																																					
Material	Aluminum																																					
Size	1170 x 1174																																					
Weight	1170 x 1174																																					
Temperature	1170 x 1174																																					
Insulation	1170 x 1174																																					
Surface	1170 x 1174																																					
Other	1170 x 1174																																					



ISSUE: Call Date: 1/28/2009

For the Director: P. Williams Date: 12/05/2018  
On behalf of: HR Testing Services Ltd

[illegible]

**Certificate of  
Quality Management System**

Certificate No.: 105821Q

HEILONGJIANG SAFER CO., LTD.

Add: 418 B, 335, Phase II, New B. Teaching Building, No. 51 Jingyuan Road, Nanjing Normal University, Nanjing City, Jiangsu Province.

Has established a Quality Management System which is in accordance with the Requirements of the Standard (as applicable to Clause 4 to 10)

**GB/T 19001-2016/ISO 9001:2015**

SCOPE OF CERTIFICATION  
Sales of Personal Protective Equipments (Foot Protective,  
Hand Protective, Head Protective and Body Protective) and Traffic  
Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump,  
Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting  
Mirror, Reflector, Reflective Corner Guard and Reflecting Spikes)

Validity of Certifications: Nov. 17, 2021 to Nov. 16, 2024

*(The effectiveness of this Certificate shall be validated by periodic surveillance visits of EBC to maintenance Conditions on effectiveness of certificate see <http://www.ebc.org> and official website of Certification and Accreditation Administration of Turkey, Republic of Turkey <http://www.aca.gov.tr>)*

EWC<sub>4</sub>

She We Should Celebrate! Read somewhere in the New York Times

## Company Information



## Automatic Injection Molding Machine



## Puncture Testing Machine



## Impact Resistant Testing Machine




**Tensile  
testing machine**

# Deburring





# Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

*Canton Fair*

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY