

Product Description

Product Name:	Black knee high waterproof steel toe mid plate construction safety rain boots
Item No:	805
Color:	Black or yellow
Size:	37-46
Average weight:	2.0-2.2 kgs/pr
Material:	PVC upper and PVC sole
Lining:	Easily dried polyester
Construction:	PVC injection
Standard	Meet CE EN ISO 20345 S5 standard (with steel toe and steel plates)
Steel Toe Protection	Meet 200 Joule
Steel Toe Protection	Meet 1500 Newton
Puncture Resistant	Meet 1100 Newton
Characteristics	<ol style="list-style-type: none">1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static PVC boots.2. Steel toe can be Impact and compression resistant.3. steel plate can be puncture resistant 1100 Newtons.4. outsole is abrasion resistant and Contract.5. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel6. resistant at low temperatures.
Guarantee:	5 months, robust and solid quality.
Package:	1 pair per poly bag, 10 pairs per carton
Carton Size:	50 x 30 x 48 cm
G.W./N.W.:	22KGS/ 20KGS
Usage:	Construction site, mining, oil industry, basic workplace etc.
Sample time:	Within 1 week
Sample charge:	one pair sample is free, customer need to pay the freight charge.

Product Pictures









Certificate



Company Information



Automatic Injection Molding Machine



Puncture Testing Machine



Impact Resistant Testing Machine




Tensile testing machine

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY