

بيا سي القياسية الدانتيل يصل الكاحل بك سلامة الأحذية

اسم المنتج:	وقد شهادة سي الدانتيل يصل الكاحل بك أحذية السلامة
رقم الصنف:	بيا
Cن:	العلوي الأسود مع الأصفر الوحيد
بحجم:	38-46 (4-12)
معدل الوزن:	(كلغ / بيأر (مع اصبع القدم الصلب والصلب لوحة 1.8
مواد:	بك العلوي و بك الوحيد
بطانة:	البوليستر المجفف بسهولة
اعمال بناء:	حقن بك
اساسي	(تلبية سي إن إسو 20345 القياسية (مع الصلب تو والصلب لوحات
الصلب تو حماية	لقاء 200 جول
الصلب تو حماية	لقاء 1500 نيوتن
مقاوم للثقوب	لقاء 1100 نيوتن
مميزات	<p>رلة، المضادة-- ثابت الأحذية المطاطية. non--، المياه / حمض / القلوبات / النفط / الشحوم مقاومة 1.</p> <p>2. اصبع القدم الصلب يمكن أن يكون تأثير & أمب؛ أمبير. أمبير. ضغط مقاومة.</p> <p>3. مسطحات الصلب يمكن أن تكون مقاومة للثقب.</p> <p>4. تسولي هو مقاومة التآكل والعقد.</p> <p>5. حماية الكاحل، وامتصاص الطاقة على منطقة مقعد كعب، وتعزيز اصبع القدم وكعب</p> <p>6. مقاومة في درجات حرارة منخفضة</p>
ضمان:	أشهر، قوية و صلبة الجودة 5
صفقة:	زوج لكل كيس بولي، 10 أزواج في الكرتون 1
حجم الورق المقوى:	59x31x31cm
G.W./N.W:	18KGS / 16KGS
اتحميل الحاويات:	5000 1 حاوية / زوج / 20x 10000 1 حاوية / زوج / 40x 11000 1 حاوية / هق / 40x أزواج
وقت بسيط:	في غضون أسبوع واحد
تهمة العينة:	زوج واحد عينة مجانية، يحتاج العملاء لدفع تكلفة الشحن

بيا أحذية المطر الكاحل:



آلة الحث:



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**

شهادة سي:

EC Type Examination Certificate



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/685/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/685/EEC).

ITS Testing Services (UK) Ltd
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311



www.intertek.com

Issued to	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
Authorised Representative	: HEILONGJIANG SAFER CO., LTD. RM502 PUFA PLAZA, NO. 209 CHANGJIANG RD., HARBIN, CHINA	
Manufacturer	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
Date of Issue	: 26 May 2015	
Expiry Date	: 26 May 2020	
Certificate No.	: LEC FI00348759	
Product Reference(s)	: BBA (FW45) SAFETY BOOTS	
Description	: Construction	: INJECTION
	: Toecap	: 459 STEEL TOECAP
	: Midsole	: OY# 160 STEEL PLATE
	: Last	: HA-459
	: Sole	: PVC & NITRILE
	: Mould	: HA-A
	: Test Report(s)	: GZHT90504071, GZHT90391794
	: Size Range	: EUR 38-47
	: Category	: S5 SRA

Carroll
Authoriser

26/05/2015

Date

P. Williams
Certification Manager

26/05/2015

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 140262 Registered Office: Academy Place, 3-9 Brook Street, Warwick, CV34 7NG

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Distribution Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than its Client in accordance with the agreement. For any loss, expense or damage whatsoever by the use of this Certificate. Only the Client is authorised to permit copying or reproduction of this Certificate and this only on the written consent of Intertek's Certification Manager. It is prohibited to use the information set out in this agreement and on this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested product, goods or services will not be authorised in writing by Intertek.

