

Product Description

1. ArtikelNein.:104
2. Farbe:Schwarz
3. Größe:EUR 38-46
4. Materialien:100%PVCOberer, höher&Sohle, einzig, alleinig
5. Beschichtung:LeichtgetrocknetPolyesterBeschichtung
6. Art: Matte nicht sicherheits regen Stiefel
7. Höhe: 30 cm (Durchschnitt)
8. Durchschnittliches Gewicht:1,3-1,4 kg pro Paar
9. Konstruktion:PVCInjektion
10. Standard:TreffenCEENISO20347
11. Toe Cap & Mittelsohle: nicht verfügbar
12. Funktion:Öl/Säure/Alkali/Unterhose/Wasser / Fett / chemischesbeständig.Öutssole ist abriebfest und Vertrag.Knöchelschutz, Energieaufnahme im Fersensitzbereich, die Stärkung der Zehen und der Ferse.
13. Anwendung:Landwirtschaft, Garten, Landwirtschaft, Baustelle, Industrie,AllgemeinesArbeit und so weiter.
14. Probe: ein Stück können Sie als quality Scheck geschickt werden, wird der Kurier Gebühr vom Kunden gezahlt werden.
15. 1 Paar pro Polybeutel, 18 Paare pro Karton.
16. G.W./N.W .: 26kgs / 24kgs

Product Pictures





Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging



Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

