

Product Description

Produktname:	Wasserdichte Sicherheits-PVC-Regenstiefel
Artikelnummer:	109.
COlor:	Schwarz
Größe:	38-47.
Durchschnittsgewicht:	2.2 kg / pr (mit Stahlzehen- und Stahlplatte)
Material:	PVC-Ober- und PVC-Sohle
Beschichtung:	Leicht getrockneter Polyester
Konstruktion:	PVC-Injektion.
Standard	Treffen Sie CE EN ISO 20345 Standard (mit Stahlzehen- und Stahlplatten)
Stahlzehenschutz	Triff 200 Joule
Stahlzehenschutz	Treffen Sie 1500. Newton
Pannenresistent	1100 treffen Newton
Eigenschaften	1. Wasser / Säure / Alkali / Öl / Fettresistente, rutschfeste, antistatische Gummistiefel. 2. Stahlzehen kann Auswirkungen und Verstärker sein; Ampere; Kompressionsbeständig. 3. Stahlplatte kann sich durchstechen. 4. Die Außensohle ist abriebfest und vertraglich. 5. Knöchelschutz, Energieabsorption auf dem Fersensitzbereich, Stärkung der Zehe und Ferse 6. Beständig bei niedrigen Temperaturen.
Garantie:	5 Monate, robuste und solide Qualität.
Paket:	1 Paar pro Polybeutel, 10 Paare pro Karton
Kartongröße:	50 x 30 x 48 cm
G.w./n.w.:	24 kg / 22kgs.
Beispielzeit:	Innerhalb von 1 woche.
Probengebühr:	Eine Pair-Probe ist frei, der Kunde muss die Frachtgebühr zahlen.

Product Pictures





Certificate



Issued to	BERSEKAWAN BROSSEL, LTD. BENTAN PLASMA, NO. 205 (JL. KEMANGKARAN KUNJ, KAMPUNG, KEMEN)																		
Issue Date	15 September 2008																		
Expiry Date	15 September 2009																		
Contract No.	11120080111 (Extension to Certificate LC700121000)																		
Product Reference(s)	87278 (p. 152) 87243 (p. 208-12)																		
Specification	<table border="1"> <tr> <td>Construction</td> <td>Injection</td> </tr> <tr> <td>Package</td> <td>Exported/Retained</td> </tr> <tr> <td>Material</td> <td>High modulus polypropylene (HMDPE) (HMDPE)</td> </tr> <tr> <td>Color</td> <td>1. 1706</td> </tr> <tr> <td>Size</td> <td>1. 1706 (HMDPE)</td> </tr> <tr> <td>Brand</td> <td>1. 1706</td> </tr> <tr> <td>Material</td> <td>2. 1706 (HMDPE)</td> </tr> <tr> <td>Size/Type</td> <td>2. 1706 (HMDPE)</td> </tr> <tr> <td>Color/Type</td> <td>2. 1706 (HMDPE)</td> </tr> </table>	Construction	Injection	Package	Exported/Retained	Material	High modulus polypropylene (HMDPE) (HMDPE)	Color	1. 1706	Size	1. 1706 (HMDPE)	Brand	1. 1706	Material	2. 1706 (HMDPE)	Size/Type	2. 1706 (HMDPE)	Color/Type	2. 1706 (HMDPE)
Construction	Injection																		
Package	Exported/Retained																		
Material	High modulus polypropylene (HMDPE) (HMDPE)																		
Color	1. 1706																		
Size	1. 1706 (HMDPE)																		
Brand	1. 1706																		
Material	2. 1706 (HMDPE)																		
Size/Type	2. 1706 (HMDPE)																		
Color/Type	2. 1706 (HMDPE)																		



REFERENCE CRJ Date JAN 1989

Declaration Made by: P. Williams Date: 12/05/2018
for and on behalf of: Testing Services Ltd Limited

[illegible]

*Certificate of
Quality Management System*

Certificate No.: 105821Q

HEILONGJIANG SAFER CO., LTD.

Add: 418 B, 418, Phase II, South B, Training Building, No. 58 Ningbo Road, Nanjing District, Nanjing City, Jiangsu Province.

Has established a Quality Management System which is in Accordance
with the Requirements of the Standard (not applicable to Clause 4.1)
GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION
Sales of Personal Protective Equipments (Foot Protective,
Hand Protective, Head Protective and Body Protective) and Traffic
Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump,
Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting
Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 *Exp.* Nov. 16, 2024

(The effectiveness of this Complaints Staff is validated by periodic satisfaction results of DRC for maintenance Conditions on effectiveness of conditions on <http://www.drc.org.uk> and official website of Certification and Accreditation Administration of University, Department of Quality, Health, Customer service and Safety of This Complaints in Nov. 2012).

EWC.



© 2004 The McGraw-Hill Companies. All Rights Reserved. Reproduction in whole or in part without written permission is prohibited.

Company Information



Automatic Injection Molding Machine



Puncture Testing Machine



Impact Resistant Testing Machine




**Tensile
testing machine**

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY