

Product Description

1. Artículo No.: 104
2. Color: Negro
3. Tamaño: EUR 38-46
4. Materiales: 100% CLORURO DE POLIVINILO superior Único
5. Recubrimiento: Fácilmente se copoliéster recubrimiento
6. Estilo: botas de lluvia mate sin seguridad.
7. Altura: 30 cm (promedio)
8. Peso promedio: 1.3-1.4 kgs por par
9. Construcción: CLORURO DE POLIVINILO inyección
10. Estándar: Reunirse Ce En YO ASI 20347
11. TOE CAP & MID SOLE: NO DISPONIBLE
12. Función: aceite/ácido/álcali/deslizar/Agua / grasa / química resistente. Outsole es resistente a la abrasión y contrato. Protección del tobillo, absorción de energía en la región del asiento del talón, el dedo del pie y el talón del fortalecimiento.
13. Solicitud: agricultura, jardín, agricultura, sitio de construcción, industrial, general trabajando y así sucesivamente.
14. Muestra: una pieza se puede enviar a usted como su cheque calidad, la tarifa de mensajería será pagada por el comprador.
15. 1 pareja por bolsa de polietileno, 18 pares por caja.
16. G.W./n.w.: 26kgs / 24kgs

Product Pictures





Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**




**Tensile
testing machine**

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging



Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

