Product Description

1.ArticuloNo.:104
2.Color:Negro
3.Tamaño:EUR 38-46
4.Materiales:100%CLORURO DE POLIVINILOsuperiorYúnico
5.Recubrimiento:Fácilmentesecopoliésterrecubrimiento
6. Estilo: botas de lluvia mate sin seguridad.
7. Altura: 30 cm (promedio)
8.Peso promedio:1.3-1.4 kgs por par
9.Construcción:CLORURO DE POLIVINILOinyección
10.Estándar:ReunirseCeEnYO ASI20347
11. TOE CAP & MID SOLE: NO DISPONIBLE
12.Función:aceite/ácido/álcali/deslizar/Agua / grasa / químicaresistente.OUtsole es resistente a la abrasión y contrato.Protección del tobillo, absorción de energía en la región del asiento del talón, el dedo del pie y el talón del fortalecimiento.
13.Solicitud:agricultura, jardín, agricultura, sitio de construcción, industrial,generaltrabajando y así sucesivamente.
14. Muestra: una pieza se puede enviar a usted como su cheque cualidad, la tarifa de mensajería será pagada por el comprador.
15. 1 pareja por bolsa de polietileno, 18 pares por caja.
16. G.W./n.w.: 26kgs / 24kgs

Product Pictures

Company Information

Automatic Injection Molding Machine

Puncture Testing Machine

Impact Resistant Testing Machine

Tensile testing machine

Deburring

Production Process

1. Mixing Materials

2. Putting Polyester Lining

3. PVC Injection

4. Open The Mould

5. Demoulding



6. Tidying

7. Printing

8. Inspection

9. Packaging

Canton Fair

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY