

Product Description

Nombre del producto:	China Botas de lluvia de PVC de brillo sin seguridad barato para jardín
Artículo No:	806
Color:	Superior verde con suela negra
Tamaño:	38-45
Peso promedio:	1.0-1.2 kgs/PR
Material:	PVC superior y suela de PVC
Recubrimiento:	Poliéster fácilmente seco
Construcción:	Inyección de PVC
Estándar	Conozca el estándar CE EN ISO 20347 O5 (sin placas de acero y acero)
Protección con el dedo del acero	No
Protección con el dedo del acero	No
Resistente a los pinchazos	No
Características	<ol style="list-style-type: none">1. Agua / ácido / alcalino / aceite / grasa resistente a las botas de goma antiestáticas.2. Capa de punta de acero y placa media de acero no disponible.3. La suela es resistente a la abrasión y contrato.4. Protección contra el tobillo, absorción de energía en la región del asiento del talón, fortalecimiento del dedo del pie y el talón5. Resistente a bajas temperaturas.
Garantizar:	5 meses
Paquete:	1 par por bolsa de poli, 18 pares por cartón
Tamaño del cartón:	50 x 30 x 48 cm
G.W./N.W.:	20 kgs/ 18 kgs
Uso:	Agricultura, agricultura, jardín, lugar de trabajo básico, sitio de construcción, etc.
Tiempo de muestra:	Dentro de 1 semana
Carga de ejemplo:	La muestra de una pieza es gratuita, el cliente debe pagar el cargo de flete.

Product Pictures











Certificate

EU TYPE EXAMINATION CERTIFICATE

CE

Issued to: **HEILONGJIANG SAFER CO., LTD.**
 BATAI PLAZA PLAZA, NO.203 (JIANMANG ROAD), HAINAN, CHINA

Issue Date: **12 September 2020**

Expiry Date: **12 September 2023**

Approval Body: **UK (Registered)**

Category No.: **0117**

Product Reference(s): **HT5219 (P. 3/22) HT5219 (P. 2/22)**

Product Name: **TYPE NUMBER: 800200**
Tempo: Composite Tarpole
Model: HT5219 (P. 3/22) HT5219 (P. 2/22)
Size: 1778
HT5219 (P. 3/22): 1778
HT5219 (P. 2/22): 1778
Tempo: Composite Tarpole
Color: 1778

The manufacturer declares that the product is in conformity with the CE marking requirements of the relevant EU Directives and that the product meets the requirements of the applicable standards listed in the certificate.

Declaration of Conformity:

Approved by:

Not and on behalf of UK Testing Services Ltd (UK)

Certificate of Quality Management System

Certificate No.: **105821Q**

HEILONGJIANG SAFER CO., LTD.

Unit: **15th Floor, 15th, South, Taobao Building, No. 88 Beigang Road, Shanghai District, Pudong New Area, Shanghai, China**

Has established a Quality Management System which is in accordance with the Requirements of the Standard in application Class B to GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: **From 27.06.2021 to 26.06.2024**

Issue Date: **27.06.2021**

For information of the Client, the certificate is subject to periodic surveillance audits of EWC for maintenance of the certificate. For more information, please contact EWC at the address of the Certification and Accreditation Administration of China, Department of Certification and Accreditation, Beijing, China.

EU TYPE EXAMINATION CERTIFICATE

CE

Issued to: **HAINAN SAFETY PRODUCTS MFG CO., LTD.**
 LINA VILLAGE, HAINAN TOWN, ACHANG DISTRICT, HAINAN, HAINAN PROVINCE, CHINA

Issue Date: **19 September 2020**

Expiry Date: **19 September 2023**

Approval Body: **UK (Registered)**

Category No.: **0117**

Product Reference(s): **HT5219 (P. 3/22) HT5219 (P. 2/22)**

Product Name: **SAFETY BOOTS**

Declaration: **DESCRIPTION**
Construction: ABS STEEL TOECAP
Tempo: ABS STEEL TOECAP
HT5219 (P. 3/22)
HT5219 (P. 2/22)
Model: ABS STEEL TOECAP
Color: ABS STEEL TOECAP
Tempo: Composite Tarpole
Color: 1778

The manufacturer declares that the product is in conformity with the CE marking requirements of the relevant EU Directives and that the product meets the requirements of the applicable standards listed in the certificate.

Declaration of Conformity:

Approved by:

Not and on behalf of UK Testing Services Ltd (UK)

Company Information



Automatic Injection Molding Machine



Puncture Testing Machine



Impact Resistant Testing Machine




Tensile testing machine

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining




3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY