

BYA CE botas de seguridad de cordones de pvc de tobillo estándar

Nombre del producto:	Tiene certificado CE con cordones botines de seguridad de pvc de tobillo
Artículo No:	BYA
doolor:	Parte superior negra con suela amarilla
Tamaño:	38-46 (4-12)
Peso promedio:	1.8 kgs / pr (con puntera de acero y placa de acero)
material:	PVC superior y suela de PVC
Revestimiento:	Poliéster fácilmente secado
Construcción:	Inyección de PVC
Estándar	Cumple con la norma CE EN ISO 20345 (con puntera de acero y placas de acero)
Steel Toe Protection	Conoce a 200 Joule
Steel Toe Protection	Conoce 1500 Newton
Resistente a las perforaciones	Conoce a 1100 Newton
Características	<ol style="list-style-type: none">1. Botas de goma antiestáticas, antideslizantes y resistentes al agua / ácido / álcali / aceite / grasa.2. La punta de acero puede ser de impacto y & amperio; amperio; resistente a la compresión3. la placa de acero puede ser resistente a la perforación.4. suela es resistente a la abrasión y contrato.5. Protección del tobillo, absorción de energía en la región del asiento del talón, fortalecimiento del dedo del pie y el talón6. resistente a bajas temperaturas.
Garantía:	5 meses, calidad sólida y sólida.
Paquete:	1 par por bolsa de polietileno, 10 pares por caja
Tamaño del cartón:	59x31x31cm
G.W./N.W .:	18KGS / 16KGS
UNmontaje de contenedores de carga:	5000 pares / contenedor 1x20 ' 10000 pares / contenedor 1x40 ' 11000 pares / HQ contenedor 1x40 'HQ
Tiempo de muestra:	Dentro de 1 semana
Carga de ejemplo:	una muestra de par es gratuita, el cliente debe pagar el costo del flete.

BYA botas de lluvia de tobillo:



Máquina de Inyección:



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**

Certificado CE:

EC Type Examination Certificate



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/685/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/685/EEC).

ITS Testing Services (UK) Ltd
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311



www.intertek.com

Issued to	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
Authorised Representative	: HEILONGJIANG SAFER CO., LTD. RM502 PUFA PLAZA, NO. 209 CHANGJIANG RD., HARBIN, CHINA	
Manufacturer	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
Date of Issue	: 26 May 2015	
Expiry Date	: 26 May 2020	
Certificate No.	: LEC FI00348759	
Product Reference(s)	: BBA (FW45) SAFETY BOOTS	
Description	Construction	: INJECTION
	Toecap	: 459 STEEL TOECAP
	Midsole	: OY# 160 STEEL PLATE
	Last	: HA-459
	Sole	: PVC & NITRILE
	Mould	: HA-A
	Test Report(s)	: GZHT90504071, GZHT90391794
	Size Range	: EUR 38-47
	Category	: S5 SRA

Carroll
Authoriser

26/05/2015

Date

P. Williams
Certification Manager

26/05/2015

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1402624 Registered Office: Academy Place, 3-9 Brook Street, Warwick, CV34 7NG

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Distribution Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than to the Client in accordance with the agreement. For any loss, expense or damage whatsoever by the use of this Certificate. Only the Client is authorised to permit copying or reproduction of this Certificate and this only on the written consent of Intertek's Certification Manager. It is prohibited to use the information set out in this agreement and on this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested product, provision of services and/or to be deemed in writing by Intertek.

