

Product Description

1. Article Non.: 104
2. Couleur: Noir
3. Taille: 38-46 EUR
4. Matériaux: 100% Pvc plus haut et unique
5. Garniture: Facilement séché polyester doublure
6. Style: Bottes de pluie mates non-sécurité mat
7. Hauteur: 30 cm (moyenne)
8. Moyenne de poids: 1,3-1,4 kg par paire
9. Construction: Pvc injection
- dix. Standard: Rencontrer Crevé En Iso 20347
11. TOE CAP & SID SEMELLE: Non disponible
12. Une fonction: huile/acide/alcali/glisser/eau / graisse / chimique résistant. À l'usure est résistant à l'abrasion et au contact. Protection de la cheville, absorption d'énergie sur la région du siège du talon, renforcement des orteils et talon.
13. Application: agriculture, jardin, agriculture, chantier de construction, industriel, général travailler et ainsi de suite.
14. Sample: une pièce peut vous être envoyée en tant que votre chèque qualifié, les frais de courrier seront payés par l'acheteur.
15. 1 paire par poly sac, 18 paires par carton.
16. G.W./N.W .: 26kgs / 24kgs

Product Pictures





Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging



Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

