

## BBA chaussures noires de sécurité en pvc avec bout en acier

Nom du produit:	Avoir des chaussures de sécurité pvc de cheville noire de certificat de la CE avec l'orteil en acier
Numéro d'article:	BBA
Color:	Tige noire avec semelle noire
Taille:	38-46 (4-12)
Poids moyen:	1,8 kg / p (avec embout d'acier et plaque d'acier)
Matériel:	Tige en PVC et semelle en PVC
Doublure:	Polyester facilement séché
Construction:	Injection de PVC
la norme	Conforme à la norme CE EN ISO 20345 (avec embout d'acier et plaques d'acier)
Protection des orteils en acier	Rencontrez 200 Joule
Protection des orteils en acier	Rencontrez 1500 Newton
Résistant à la perforation	Rencontrez 1100 Newton
Caractéristiques	<ol style="list-style-type: none"><li>1. Bottes en caoutchouc résistant à l'eau / acide / alcali / huile / graisse, anti-dérapant et antistatique.</li><li>2. L'orteil en acier peut être Impact &amp; ampère; ampère; résistant à la compression.</li><li>3. la plaque d'acier peut être résistante à la perforation.</li><li>4. Semelle extérieure est résistant à l'abrasion et contrat.</li><li>5. Protection de cheville, absorption d'énergie sur la région de siège de talon, renforçant l'orteil et le talon</li><li>6. résistant aux basses températures.</li></ol>
Garantie:	5 mois, qualité robuste et solide.
Paquet:	1 paire par poly sac, 10 paires par carton
Taille de carton:	59x31x31cm
G.W./N.W .:	18KGS / 16KGS
UNEMont de conteneurs de chargement:	5000 paires / conteneur 1x20 ' 10000 paires / conteneur 1x40 ' 11000 paires / HQ conteneur 1x40 'HQ
Temps d'échantillonnage:	Dans 1 semaine
Charge de l'échantillon:	un échantillon de la paire est gratuit, le client doit payer les frais de transport.

## BBA cheville chaussures de sécurité en PVC:

CE



**Machine d'Injection:**



**Automatic Injection  
Molding Machine**



**Puncture  
Testing Machine**



**Impact Resistant  
Testing Machine**



**Tensile  
testing machine**

**Certificat CE:**

# EC Type Examination Certificate



### Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/685/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/685/EEC).

ITS Testing Services (UK) Ltd  
Centre Court  
Meridian Business Park  
Leicester, LE19 1WD  
United Kingdom  
Phone: +44 (0)116 263 0330  
Fax: +44 (0)116 263 0311



[www.intertek.com](http://www.intertek.com)

<b>Issued to</b>	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
<b>Authorised Representative</b>	: HEILONGJIANG SAFER CO., LTD. RM502 PUFA PLAZA, NO. 209 CHANGJIANG RD., HARBIN, CHINA	
<b>Manufacturer</b>	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
<b>Date of Issue</b>	: 26 May 2015	
<b>Expiry Date</b>	: 26 May 2020	
<b>Certificate No.</b>	: LEC FI00348759	
<b>Product Reference(s)</b>	: BBA (FW45) SAFETY BOOTS	
<b>Description</b>	: Construction	: INJECTION
	: Toecap	: 459 STEEL TOECAP
	: Midsole	: OY# 160 STEEL PLATE
	: Last	: HA-459
	: Sole	: PVC & NITRILE
	: Mould	: HA-A
	: Test Report(s)	: GZHT90504071, GZHT90391794
	: Size Range	: EUR 38-47
	: Category	: S5 SRA

*Carroll*  
Authoriser

26/05/2015

Date

*P. Williams*  
Certification Manager

26/05/2015

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 143024 Registered Office: Academy Place, 3-9 Brook Street, Warwick, CV34 7NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Distribution Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than to the Client in accordance with the agreement. For any loss, expense or damage whatsoever by the use of this Certificate. Only the Client is authorised to permit copying or reproduction of this Certificate and this only on the written consent of Intertek's Certification Manager. It is prohibited to use the Intertek name for the sale or advertisement of the tested product, product or service and this will be deemed a breach of the agreement.

