

Product Description

- 1.ElementoNo.:104.
- 2.Colore:Nero
- 3.Misurare:EUR 38-46.
- 4.Materiali:100%PVC.superiore&suola
- 5.Liner:Facilmenteessiccatopoliestereliner
6. Stile: stivali da pioggia non di sicurezza opaca
7. Altezza: 30 cm (media)
- 8.Media del peso:1,3-1,4 kg per coppia
- 9.Costruzione:PVC.iniezione
- 10.Standard:IncontrareCe.En.Iso.20347.
11. Toe Cap & Mid Sole: non disponibile
- 12.Funzione:olio/acido/alkali /scontrino/Acqua / grasso / chimicaresistente.O.L'utso è resistente all'abrasione e dal contratto.Protezione della caviglia, assorbimento di energia sulla regione del sedile del tallone, rafforzare la punta e il tallone.
- 13.Applicazione:Agricoltura, Giardino, Agricoltura, Cantiere, Industrial,generalelavorare e così via.
14. Esempio: un pezzo può essere inviato a te come controllo qualityty, la tassa di corriere sarà pagata dal compratore.
15. 1 paio per poli sacchetto, 18 coppie per cartone.
16. G.W./N.W.: 26KGS / 24KGS

Product Pictures





Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**




**Tensile
testing machine**

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging



Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

