

Scarpe da pioggia di sicurezza in pvc con puntale in acciaio YBA

Nome del prodotto:	Avere scarpe antipioggia di sicurezza in pvc in acciaio con marchio CE per uomo
Oggetto numero:	YBA
Color:	Tomaia gialla con suola nera
Dimensione:	38-46 (4-12)
Peso medio:	1,8 kg / pr (con punta in acciaio e piastra in acciaio)
Materiale:	Tomaia in PVC e suola in PVC
Fodera:	Poliestere facilmente asciugato
Costruzione:	Iniezione di PVC
Standard	Conformi allo standard CE EN ISO 20345 (con puntale in acciaio e piastre in acciaio)
Protezione punta in acciaio	Scopri 200 Joule
Protezione punta in acciaio	Incontra 1500 Newton
Resistente alle forature	Incontra il 1100 Newton
caratteristiche	<ol style="list-style-type: none">1. Stivali in gomma antistatica resistenti all'acqua / acidi / alcali / olio / grasso, antiscivolo.2. La punta d'acciaio può essere Impact & & resistente alla compressione.3. la piastra di acciaio può essere resistente alle forature.4. La suola è resistente all'abrasione e contratta.5. Protezione della caviglia, assorbimento di energia sulla regione del tallone, rinforzo della punta e del tallone6. resistente alle basse temperature.
Garanzia:	5 mesi, robusta e solida qualità.
Pacchetto:	1 paio per sacchetto poli, 10 paia per cartone
Dimensione del cartone:	59x31x31cm
G.W./N.W .:	18KGS / 16KGS
UNmontaggio di contenitori di carico:	5000 paia / container 1x20 ' 10000 paia / container 1x40 ' 11000 coppie / contenitore HQ 1x40 'HQ
Tempo di campionamento:	Entro 1 settimana
Carica del campione:	un campione di una coppia è gratuito, la necessità del cliente di pagare la tassa di trasporto.

Scarpe da pioggia antivento YBA:



Macchina Inection:



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**

Certificato CE:

EC Type Examination Certificate



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/685/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/685/EEC).

ITS Testing Services (UK) Ltd
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311



www.intertek.com

Issued to	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
Authorised Representative	: HEILONGJIANG SAFER CO., LTD. RM502 PUFA PLAZA, NO. 209 CHANGJIANG RD., HARBIN, CHINA	
Manufacturer	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
Date of Issue	: 26 May 2015	
Expiry Date	: 26 May 2020	
Certificate No.	: LEC FI00348759	
Product Reference(s)	: BBA (FW45) SAFETY BOOTS	
Description	: Construction	: INJECTION
	: Toecap	: 459 STEEL TOECAP
	: Midsole	: OY# 160 STEEL PLATE
	: Last	: HA-459
	: Sole	: PVC & NITRILE
	: Mould	: HA-A
	: Test Report(s)	: GZHT90504071, GZHT90391794
	: Size Range	: EUR 38-47
	: Category	: S5 SRA

Carroll
Authoriser

26/05/2015

Date

P. Williams
Certification Manager

26/05/2015

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 143024 Registered Office: Academy Place, 3-9 Brook Street, Warwick, CV34 7NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Distribution Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than its Client in accordance with the agreement. For any loss, expense or damage whatsoever by the use of this Certificate. Only the Client is authorised to permit copying or reproduction of this Certificate and this only on the written consent of Intertek's Certification Manager. It is prohibited to use the Intertek name for the sale or advertisement of the tested product, provision of services and/or to be displayed in writing by Intertek.

