

Product Description

CE:	CE EN ISO 20345 PVC EN ISO 20345
Model:	106-5
Color:	Black / Grey / Blue / Red
Size:	36-47
Weight:	2.0-2.2 kgs/pr
Material:	PVC EN ISO 20345 PVC EN ISO 20345
Feature:	Waterproof / Anti-static / Anti-slip
Material:	PVC EN ISO 20345
Standard:	CE EN ISO 20345 EN ISO 20345 (EN ISO 20345 EN ISO 20345)
Energy:	200 Joule EN ISO 20345
Impact:	1500J EN ISO 20345
Weight:	1100g EN ISO 20345
Notes:	<ol style="list-style-type: none">1. EN ISO 20345 / EN ISO 20345 / EN ISO 20345, EN ISO 20345, EN ISO 20345.2. EN ISO 20345 EN ISO 20345 & EN ISO 20345; EN ISO 20345.3. EN ISO 20345 EN ISO 20345 EN ISO 20345.4. EN ISO 20345 EN ISO 20345.5. EN ISO 20345, EN ISO 20345 EN ISO 20345 EN ISO 20345, EN ISO 20345 EN ISO 203456. EN ISO 20345 EN ISO 20345.
Quantity:	5 pairs, EN ISO 20345 EN ISO 20345.
Size:	EN ISO 20345 1 pair, EN ISO 20345 10 pair
Dimensions:	50 x 30 x 48 cm
G.W./N.W.:	22kgs/ 20kg
Quantity:	1 pair EN ISO 20345
Notes:	EN ISO 20345 EN ISO 20345 EN ISO 20345 EN ISO 20345.

Product Pictures




Certificate

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY