Product Description

- 1. | | | | | 108-10
- 2. 🔲: 🔲
- □. □□: 39-46 (5-12)
- 4. []: 100 % PVC [] & []
- 5. 00: 0000 000 00 000 00
- 6. 00 : 00 00 00
- 7. [] [] : [] 2.0kg
- 8. []: PVC []
- 9. 🔲 : 6 🔲
- 10. □□: □□□ CE KO ISO 20347 OB / S4 / S5
- $11. \ \square \square \square \& \square \square \square : \square \square \square \square \square \square \square \square \square 200 J, \square \square \square \square \square \square \square 1100 \square \square.$
- 12. aa: aa/ a/ aaa/ aa/ a / aa / aa aa. aautsolea aaaaa aaaaa. aa aa, aaa aa aa aa aa, aaaa aa aa.
- 14. OD: O OO OO OO Qualilty OD, OD OO OOO OOOO.

Packing

- 1. 00 00 1 0 0, 00 0 10 0 0.
- 2. [] : 50 x 30 x 48 cm
- 3. G.W./N.W .: 22kgs / 20kgs
- 4. 3800 [] / 20 'GP, 7600 [] / 40'GP, 9000 [] / 40'HQ

Product Pictures



Company Information





Automatic Injection Molding Machine



Puncture Testing Machine



Impact Resistant Testing Machine



Tensile testing machine

Deburring





Canton Fair

Canton Fair





SAFETY SHOES



RAIN BOOTS





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

Contact Us

□□□ : Jason Wei

Whatsapp / Wechat : +86 13199473060

 $\verb| [][]]: sales 5@ safer ltd.com$