

Product Description

Material:	Soft PVC fabric
Model:	801bb
Color:	Black
Size:	39-47
Weight:	2.0-2.2 kgs/pr
Material:	PVC fabric
Material:	PVC fabric
Material:	PVC fabric
Material:	PVC fabric
Material:	PVC fabric
Material:	CE EN ISO 20345 S5 safety shoe (steel toe cap)
Material:	200 Joule safety shoe
Material:	1500g safety shoe
Material:	1100g safety shoe
Material:	<ol style="list-style-type: none"> 1. Soft / Hard / Steel / Steel / Steel toe cap, 0 cm, 0 cm toe. 2. Soft safety shoe 0 cm toe cap & 0 cm; 0 cm toe. 3. Soft safety shoe 0 cm toe cap 0 cm toe. 4. Soft safety shoe 0 cm toe. 5. Soft shoe, 0 cm toe cap 0 cm toe, 0 cm toe 0 cm toe 6. Soft shoe.
Material:	5 cm, 0 cm toe.
Material:	0 cm 1 cm, 0 cm 10 cm
Material:	50 x 30 x 48 cm
G.W./N.W.:	22kgs/ 20kg
Material:	0 cm toe, 0 cm toe, 0 cm toe
Material:	1 cm toe
Material:	0 cm toe 0 cm toe 0 cm toe 0 cm toe.

Product Pictures








Certificate

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY