# **Product Description**

	00000 00 PVC 00 00 00
00 00:	801GB
□Olor :	
<u> </u>	39-47
00 00:	2.0-2.2 kgs/pr
<u> </u>	PVC [] [] PVC []
<u> </u>	
<u> </u>	PVC 🖂
	CE EN ISO 20345 S5 000 00000 (00 000 0 00 000 00)
00 000 00	200 Joule
00 000 00	15000 00000 00
	11000 00000 00
00	1.
000:	5 00, 0000 000 00.
:	
:	50 x 30 x 48 cm
G.W./N.W. :	22kgs/ 20kg
<u> </u>	
00 00 :	1 00 000
00 00 :	000 0 000 0000 000 000 0000000.

**Product Pictures** 









Certificate







# Company Information



# Automatic Injection Molding Machine



Puncture Testing Machine



Impact Resistant Testing Machine



Tensile testing machine

# Deburring



# **Production Process**







1. Mixing Materials

2. Putting Polyester Lining

3. PVC Injection







4. Open The Mould

5. Demoulding

6. Tidying







7. Printing

8. Inspection

9. Packaging

### **Canton Fair**

# Canton Fair





#### SAFETY SHOES



#### RAIN BOOTS





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY