

□□□ □□ □□ & □□□ & □□ □□ □□

Product Description

□□□ □□ □□□ □ □□ PVC □□

1. □ □□: E6BY
2. □□: □□□ □□□□ □□ □□ □□ □□ □□ □□
- . □□: 37-46 (3-12)
4. □□: 100 % PVC □□ & □□
5. □: □□□□ □□□ □□ □□□□ □
6. □□□ : □ □□ □□
7. □□: 1.35-1.45 kgs / □□ (□□)
8. □□: PVC □□
9. □□: □□□ CE EN ISO 20347 OB
10. □□: □□/ □/ □□□/ □□/ □ / □□ / □□ □□. □□outsole □□ □□ □ □□□□□.□□ □□, □ □□□ □□ □□□ □□□ □□, □□□□ □ □□□ □□.
11. □□: □□ □□, □□, □□ □□, □□ □, □□ □, □□, □□, □□ □□
12. □□: 6 □□
13. □□ : □ □□ □□□ □□□ □□□ □ □□□, □□□□ □□□□ □□□□□.

Packing

1. □□ □□ □ 1 □, □□ □ 12 □ □□ 15 □.
2. □□ □□ : 50x31x55cm □□ 50x31x60cm
3. G.W./N.W .: 19kgs / 18kgs, 23kgs / 22kgs
4. 3450 □ / 20'GP, 6800 □ / 40'GP, 8400 □ / 40'HQ

Product Pictures



Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**



Canton Fair

