

□□□ □□ □□ & □□□□ & □□ □□ □□

Product Description

□□ □□ PVC □□□□ □□ □□

1. □ □□: F30BB
 2. □□: □□ □□□□ □□ □ □□ □□ □□ □□
 3. □□: 37-46 (3-12)
 4. □□: 100 % PVC □□ & □□
 5. □: □□□□ □□□□ □□ □□□□ □
 6. □□□: □□ □□
 7. □□ □□ : 1.8 kgs / □□ (□□ □□ □ □□ □□□□ □□), 1.9 kg / pr (□□ □□ □), 2.0 kgs / pr (□□ □□ □ □□ □□)
 8. □□: PVC □□
 9. □□: □□□ CE EN ISO 20347 OB / S4 / S5
 10. □□: □□/ □/ □□□/ □□/ □ / □□ / □□ □□.
- 200 joules □□ □□□□ □□, □□ □□□□ □□ □□ 1100 □□.
- □□ □□ □ □□□□□□□. □□ □□, □ □□□ □□ □□□□ □□ □□, □□□□ □ □□□ □□.
11. □□: □□ □□, □□, □□ □□, □□ □, □□ □, □□, □□, □□ □□
 12. □□: 6 □□
 13. □□ : □ □□ □□□□ □□□□ □□ □ □□□, □□□□ □□□□ □□□□□□.

Packing

1. □□ □□ □ 1 □, □□ □ 12 □ □□ 15 □.
2. □□ □□ : 50x31x55cm □□ 50x31x60cm
3. G.W./N.W .: 23kgs / 22kgs
4. 3250 □ / 20'GP, 6400 □ / 40'GP, 7900 □ / 40'HQ

Product Pictures





Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**



Canton Fair

