

□□□ □□ □□ & □□□□ & □□ □□ □□

## Product Description

□□□ □□ □□ □□ PVC □□ □□

1. □ □□: F35BB
2. □□: □□ □□ □ □□ □□ □□ □□ □□ □□
3. □□: 37-46 (3-12)
4. □□: 100 % PVC □□ & □□
5. □: □□□□ □□□ □□ □□□□ □
6. □□ □□: 1.75 kgs / □□ (□□ □□□ □ □□ □□); 1.85 kgs / pr (□□ □□ □□); 1.95 kgs / pr (□□□ □ □□ □□).
7. □□: PVC □□
8. □□: □□□ CE EN ISO 20345 S5 / S4 / OB
9. □□ □□□ □ □□: □□ □□□□ 200 □□
10. □□ □□□□ □□: □□ □□□□ 1100 □ □□.
11. □□: □□/ □/ □□□/ □□/ □/ □□/ □□ □□, outsole □□ □□ □ □□□□□.□□ □□, □ □□□ □□ □□□ □□□ □□, □□□□ □ □□□ □□
12. □□: □□ □□, □□, □□ □□, □□ □, □□ □, □□, □□, □□ □□
13. □□: 6 □□
14. □□ : □ □□ □□□ □□□ □□□ □ □□□, □□□□ □□□□ □□□□□.

## Packing

1. □□ □□ □ 1 □, □□ □ 12 □ □□ 15 □.
2. □□ □□ : 50x31x55cm □□ 50x31x60cm
3. G.W./N.W .: 23kgs / 21kgs
4. 3250 □ / 20'GP, 6400 □ / 40'GP, 7900 □ / 40'HQ

## Product Pictures





## Company Information



**Automatic Injection  
Molding Machine**



**Puncture  
Testing Machine**



**Impact Resistant  
Testing Machine**



**Tensile  
testing machine**

***Canton Fair***

# Canton Fair



**PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY**