

000 00 00 & 000 & 00 00 00

Product Description

000 00 PVC 00 0 gumboots 00

1. 0 00.: F35RY
2. 00: 0000 000 00 00 00 00 00 00
3. 00: 37-46 (3-12)
4. 00: 100 % PVC 00 & 00
5. 0: 0000 000 00 0000 0
6. 00 00: 1.75 kgs / 00 (00 000 0 00 00); 1.85 kgs / pr (00 00 00); 1.95 kgs / pr (000 0 00 00).
7. 00: PVC 00
8. 00: 000 CE EN ISO 20345 S5 / S4 / OB
9. 00 000 0 00: 00 0000 200 00
10. 00 0000 00: 00 0000 1100 0 00.
11. 00: 00/ 0/ 000/ 00/ 0/ 00/ 00 00, outsole 00 00 0 00000. 00 00, 0 000 00 000 000 00, 0000 0 000 00.
12. 00: 00 00, 00, 00 00, 00 0, 00 0, 00, 00, 00 00
13. 00: 6 00
14. 00 : 0 00 000 000 000 0 000, 0000 0000 00000.

Packing

1. 00 00 0 1 0, 00 0 12 0 00 15 0.
2. 00 00 : 50x31x55cm 00 50x31x60cm
3. G.W./N.W .: 23kgs / 21kgs
4. 3250 0 / 20'GP, 6400 0 / 40'GP, 7900 0 / 40'HQ

Product Pictures



Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**

Canton Fair

Canton Fair



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY