

□□□ □□□ □□ □□ □ □□□□□□□

Product Description

□□□□ □□ □□□□□ PVC □□ □ □□

1. □□ : □□
2. □□ □□.: F35WW
- . □□: 37-46 (3-12)
4. □□ : PVC □□
5. □□ : CE EN ISO 20345 OB / S4 / S5
6. □□: 100 % PVC □□ & □□□□ □□ □□□□ □□ □□□□ □□
7. □□ □□□ □□ □□ : □□ □□ 200 □.
8. □□ □□ : □□ □□□□ 1100 □□.
9. □□ □□: 1.75 □□□□ / □□ (□□ □□□ □ □□ □□); 1.85 kgs / pr (□□ □□□ □); 1.95 kgs / pr (□□ □□□ □ □□ □□).
10. □□: □□/ □□/ □□□□/ □□/ □□/ □□ □□□□ □□□□ □□□□□□ □□□□□□. □□ □□, □ □□□ □□ □□□ □□□ □□, □□□□ □ □□□ □□.
11. □□: □□ □□, □□, □□ □□, □□ □, □□ □, □□, □□, □□ □□
12. □□ : □ □□ □□□ quality □□, □□ □□ □□□.

Packing

1. □□ □□ □ 1 □ □, □□ □ 12 □ □□ 15 □.
2. □□ □□ : 50x31x55cm □□ 50x31x60cm
3. G.W./N.W .: 23kgs / 21kgs
4. 3250 □ / 20'GP, 6400 □ / 40'GP, 7900 □ / 40'HQ

Product Pictures





Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**

Deburring



Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY