

□□□ □□ □□ & □□□□ & □□ □□ □□

Product Description

2 □□ □ □□ □□ □ □□ PVC □□ □ □□

1. □ □□: SQ-02

2. □□: □□ □□□ □□ □ □□ □□ □□ □□

□. □□: 38-44 (4-10)

4. □□: 100 % PVC □□ & □□

5. □: □□□□ □□□ □□ □□□□ □

6. □□□ : □ □□ □□

7. □□: 1.3 kgs / □□ (□□)

8. □□ : 37-38 cm (□□)

9. □□: PVC □□

10. □□: □□/ □/ □□□/ □□/ □ / □□ / □□ □□. □□outsole □□ □□ □ □□□□□□□□ □□, □ □□□ □□ □□□ □□□ □□, □□□□ □ □□□ □□.

11. □□: □□ □□, □□, □□ □□, □□ □, □□ □, □□, □□, □□ □□

12. □□: □ □□

13. □□ : □ □□ □□□ □□□ □ □□□, □□□□ □□□□ □□□□□.

14. □□ □□ □ 1 □, □□ □ 15 □. □□ □□□ □□ □□

Product Pictures



Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**



Canton Fair

Canton Fair



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY