

□□□ □□□ □□ □□ □ □□□□□□□

Product Description

□□ □□ □ □□□ □□ PVC □□□ □□ □□

1. □□ □□.: SQ-809B
2. □□: □□ □□□□□□ □□ □□ □□ □□ □□ □□
3. □□: 39-45 (5-11)
4. □□ : 39 cm (□□)
5. □□: 100 % PVC □□ & □□
6. □: □□□□ □□□ □□ □□□□ □
7. □□□ : □ □□ □ □□
8. □□: 1.5 □□□□ / □□ (□□)
9. □□: PVC □□
10. □□: □□/ □/ □□□/ □□/ □ / □□ / □□ □□□□. □□outsole□ □□□□□□ □□□□□□.□□ □□, □ □□□ □□ □□□□ □□□□ □□, □□□□ □ □□□ □□.
11. □□: □□ □□, □□, □□, □□, □□ □□, □□ □
12. □□: □ □□
13. □□ : □ □□ □□□ quality □□, □□ □□ □□□.
14. □□ □□ □ 1 □ □, □□ □ 10 □. □□ □□ □□ G.W./N.W .: 17KGS / 15KGS

Product Pictures





Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**



Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY