

□□□ □□□ □□ □□ □ □□□□□□□

Product Description

□□□□□ □□ □□ □□ □□ □□ EVA □ □□

1. □□ □□.: SQ-901
2. □□: □□ □□□□□ □□ □□
- . □□: 39-45 (5-11)
4. □□: 100 % EVA □□ & □□
5. □: □□□□ □□□ □□ □□ □□
6. □□ : □□ □□ PU □□
7. □□: 0.65 □□□□ / □□ (□□)
8. □□: EVA □□
9. □□: □□/ □□/ □□□□/ □□/ □□ □□□□. □□□□□□□ □□□□□□. □□ □□, □ □□□ □□ □□□□ □□□□ □□, □□□□ □ □□□ □□. □□ □□ □□□ □□□□□ □□□□□□.
10. □□: □□ □□, □□, □□, □□ □□, □□ □□ □□ □
11. □□: 5 □□
12. □□ : □ □□ □□□ quality □□, □□ □□ □□□.
13. □□ □□ □ 1 □ □, □□ □ 20 □. □□ □□□ □□ G.W./N.W .: 15KGS / 13KGS

Product Pictures





KEEP WARM



Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**



Deburring



Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY