

□□□ □□ □□ & □□□□ & □□ □□ □□

Product Description

□□ □ □□ □□□ PVC □□□ □□

1. □ □□: SQ-BY
2. □□: □□□ □□□□ □□ □□ □□ □□ □□ □□
3. □□: 38-44 (4-10)
4. □□: 100 % PVC □□ & □□
5. □: □□□□ □□□ □□ □□□□ □
6. □□□ : □ □□ □□
7. □□: 1.3 kgs / □□ (□□)
8. □□: PVC □□
9. □□: □□/ □/ □□□/ □□/ □ / □□ / □□ □□. □□outsole □□ □□ □ □□□□□.□□ □□, □ □□□ □□ □□□ □□□ □□, □□□□ □ □□□ □□.
10. □□: □□ □□, □□, □□ □□, □□ □, □□ □, □□, □□, □□ □□
11. □□: □ □□
12. □□ : □ □□ □□□ □□□ □□□ □ □□□, □□□□ □□□□ □□□□□.
13. □□ □□ □ 1 □, □□ □ 15 □. □□ □□□ □□ □□

Product Pictures





Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**



Canton Fair

Canton Fair



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY