

Product Description

Productnaam:	CE verified anti slip waterproof pvc safety rain boots
Item nr:	106-5
Color:	Yellow upper with black sole
Maat:	36-47
Gemiddeld gewicht:	2.0-2.2 kgs/pr
Materiaal:	PVC upper and PVC sole
Voering:	Easily dried polyester
Bouw:	PVC injection
Standaard	Meet CE EN ISO 20345 standard (with steel toe and steel plates)
Steel Toe Protection	Meet 200 Joule
Steel Toe Protection	Meet 1500 Newton
Puncture Resistant	Meet 1100 Newton
Eigenschappen	1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static rubber boots. 2. Steel toe can be Impact & compression resistant. 3. steel plate can be puncture resistant. 4. outsole is abrasion resistant and Contract. 5. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel 6. resistant at low temperatures.
Garantie:	5 months, robust and solid quality.
Pakket:	1 pair per poly bag, 10 pairs per carton
Carton Size:	50 x 30 x 48 cm
G.W./N.W.:	22KGS/ 20KGS
Proeftijd:	Within 1 week
Sample charge:	one pair sample is free, customer need to pay the freight charge.

Product Pictures



Certificate



Issued to:	BUNDESHAN STEEL CO., LTD. Bundling Plant, P.O. Box 202, 200 MARGARITA ROAD, HANNOI, CAMBODIA																					
Issue Date:	15 September 2008																					
Expiry Date:	15 September 2011																					
Customer No.:	111000008 (1) Extension by Certificate LCB/001100008																					
Product Reference No.:	BUN/2008-04-1024 BUN/2008-04-1024																					
Designation:	<table border="1"> <thead> <tr> <th>Construction</th> <th>Section</th> </tr> </thead> <tbody> <tr> <td>Torsion</td> <td>Composite Torsion</td> </tr> <tr> <td>BS 5400</td> <td>BS 5400 and BS 5400 Part 4</td> </tr> <tr> <td>Size</td> <td>1100 x 1100</td> </tr> <tr> <td>Grade</td> <td>S275</td> </tr> <tr> <td>Web max depth</td> <td>500</td> </tr> <tr> <td>Web flange</td> <td>100</td> </tr> <tr> <td>Web thickness</td> <td>10</td> </tr> <tr> <td>Flange thickness</td> <td>10</td> </tr> <tr> <td>Flange width</td> <td>100</td> </tr> </tbody> </table>	Construction	Section	Torsion	Composite Torsion	BS 5400	BS 5400 and BS 5400 Part 4	Size	1100 x 1100	Grade	S275	Web max depth	500	Web flange	100	Web thickness	10	Flange thickness	10	Flange width	100	
Construction	Section																					
Torsion	Composite Torsion																					
BS 5400	BS 5400 and BS 5400 Part 4																					
Size	1100 x 1100																					
Grade	S275																					
Web max depth	500																					
Web flange	100																					
Web thickness	10																					
Flange thickness	10																					
Flange width	100																					



ISSUE: Call Date: 1/26/2009

Declaration Made by: P. Williams Date: 12/05/2018
On behalf of: HR Testing Services Ltd

[illegible]

**Certificate of
Quality Management System**

Certificate No.: 105821Q

HEILONGJIANG SAFER CO., LTD.

Act 498, 2006, Page 12, Item 6, Training Building, 500 N. Douglas Road, Lansing, Michigan, 48906-0001, Michigan, Michigan

Has established a Quality Management System which is in accordance with the Requirements of the Standard (as applicable to Clause 4.2)

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION
Sales of Personal Protective Equipments (Foot Protective,
Hand Protective, Head Protective and Body Protective) and Traffic
Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump,
Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting
Mirror, Reflector, Reflective Corner Guard and Reflecting Spikes)

Validity of Certifications: Nov. 17, 2021 to Nov. 16, 2024

Issue Date: Nov. 17, 2021
(The effectiveness of this Certificate shall be validated by periodic surveillance visits of EDC for maintenance conditions on effectiveness of controls see <http://www.cdpr.ca.gov> and official website of Certification and Accreditation Administration of Taiwan A Republic of China <http://www.caa.gov.tw>)
Expiry of This Certificate is Nov. 2023
Signature: _____

EWC₄

She We Should Comfort/Comforted, Richard B. Sewall, 1997, 100 pp., \$14.95, ISBN 0-8070-1000-0.



Source: HONG KONG SARVETH PRODUCTS MFG. CO., LTD.
LUNG YU LAGE, KWUNGA TOWN, ACHING DISTRICT
HONG KONG SARVETH PRODUCTS MFG. CO., LTD.

Issue Date : 06 September 2019
Expiry Date : 06 September 2019

Certificate No.	(LEED) (Green)
-----------------	----------------

Product Reference(s)	See (1445) Sentry 8007.
----------------------	----------------------------

Description	Construction
1. <i>Stylus</i> 2. <i>Stylus</i> 3. <i>Stylus</i> 4. <i>Stylus</i> 5. <i>Stylus</i> 6. <i>Stylus</i> 7. <i>Stylus</i> 8. <i>Stylus</i> 9. <i>Stylus</i> 10. <i>Stylus</i> 11. <i>Stylus</i> 12. <i>Stylus</i> 13. <i>Stylus</i> 14. <i>Stylus</i> 15. <i>Stylus</i> 16. <i>Stylus</i> 17. <i>Stylus</i> 18. <i>Stylus</i> 19. <i>Stylus</i> 20. <i>Stylus</i> 21. <i>Stylus</i> 22. <i>Stylus</i> 23. <i>Stylus</i> 24. <i>Stylus</i> 25. <i>Stylus</i> 26. <i>Stylus</i> 27. <i>Stylus</i> 28. <i>Stylus</i> 29. <i>Stylus</i> 30. <i>Stylus</i> 31. <i>Stylus</i> 32. <i>Stylus</i> 33. <i>Stylus</i> 34. <i>Stylus</i> 35. <i>Stylus</i> 36. <i>Stylus</i> 37. <i>Stylus</i> 38. <i>Stylus</i> 39. <i>Stylus</i> 40. <i>Stylus</i> 41. <i>Stylus</i> 42. <i>Stylus</i> 43. <i>Stylus</i> 44. <i>Stylus</i> 45. <i>Stylus</i> 46. <i>Stylus</i> 47. <i>Stylus</i> 48. <i>Stylus</i> 49. <i>Stylus</i> 50. <i>Stylus</i> 51. <i>Stylus</i> 52. <i>Stylus</i> 53. <i>Stylus</i> 54. <i>Stylus</i> 55. <i>Stylus</i> 56. <i>Stylus</i> 57. <i>Stylus</i> 58. <i>Stylus</i> 59. <i>Stylus</i> 60. <i>Stylus</i> 61. <i>Stylus</i> 62. <i>Stylus</i> 63. <i>Stylus</i> 64. <i>Stylus</i> 65. <i>Stylus</i> 66. <i>Stylus</i> 67. <i>Stylus</i> 68. <i>Stylus</i> 69. <i>Stylus</i> 70. <i>Stylus</i> 71. <i>Stylus</i> 72. <i>Stylus</i> 73. <i>Stylus</i> 74. <i>Stylus</i> 75. <i>Stylus</i> 76. <i>Stylus</i> 77. <i>Stylus</i> 78. <i>Stylus</i> 79. <i>Stylus</i> 80. <i>Stylus</i> 81. <i>Stylus</i> 82. <i>Stylus</i> 83. <i>Stylus</i> 84. <i>Stylus</i> 85. <i>Stylus</i> 86. <i>Stylus</i> 87. <i>Stylus</i> 88. <i>Stylus</i> 89. <i>Stylus</i> 90. <i>Stylus</i> 91. <i>Stylus</i> 92. <i>Stylus</i> 93. <i>Stylus</i> 94. <i>Stylus</i> 95. <i>Stylus</i> 96. <i>Stylus</i> 97. <i>Stylus</i> 98. <i>Stylus</i> 99. <i>Stylus</i> 100. <i>Stylus</i>	1. <i>Stylus</i> 2. <i>Stylus</i> 3. <i>Stylus</i> 4. <i>Stylus</i> 5. <i>Stylus</i> 6. <i>Stylus</i> 7. <i>Stylus</i> 8. <i>Stylus</i> 9. <i>Stylus</i> 10. <i>Stylus</i> 11. <i>Stylus</i> 12. <i>Stylus</i> 13. <i>Stylus</i> 14. <i>Stylus</i> 15. <i>Stylus</i> 16. <i>Stylus</i> 17. <i>Stylus</i> 18. <i>Stylus</i> 19. <i>Stylus</i> 20. <i>Stylus</i> 21. <i>Stylus</i> 22. <i>Stylus</i> 23. <i>Stylus</i> 24. <i>Stylus</i> 25. <i>Stylus</i> 26. <i>Stylus</i> 27. <i>Stylus</i> 28. <i>Stylus</i> 29. <i>Stylus</i> 30. <i>Stylus</i> 31. <i>Stylus</i> 32. <i>Stylus</i> 33. <i>Stylus</i> 34. <i>Stylus</i> 35. <i>Stylus</i> 36. <i>Stylus</i> 37. <i>Stylus</i> 38. <i>Stylus</i> 39. <i>Stylus</i> 40. <i>Stylus</i> 41. <i>Stylus</i> 42. <i>Stylus</i> 43. <i>Stylus</i> 44. <i>Stylus</i> 45. <i>Stylus</i> 46. <i>Stylus</i> 47. <i>Stylus</i> 48. <i>Stylus</i> 49. <i>Stylus</i> 50. <i>Stylus</i> 51. <i>Stylus</i> 52. <i>Stylus</i> 53. <i>Stylus</i> 54. <i>Stylus</i> 55. <i>Stylus</i> 56. <i>Stylus</i> 57. <i>Stylus</i> 58. <i>Stylus</i> 59. <i>Stylus</i> 60. <i>Stylus</i> 61. <i>Stylus</i> 62. <i>Stylus</i> 63. <i>Stylus</i> 64. <i>Stylus</i> 65. <i>Stylus</i> 66. <i>Stylus</i> 67. <i>Stylus</i> 68. <i>Stylus</i> 69. <i>Stylus</i> 70. <i>Stylus</i> 71. <i>Stylus</i> 72. <i>Stylus</i> 73. <i>Stylus</i> 74. <i>Stylus</i> 75. <i>Stylus</i> 76. <i>Stylus</i> 77. <i>Stylus</i> 78. <i>Stylus</i> 79. <i>Stylus</i> 80. <i>Stylus</i> 81. <i>Stylus</i> 82. <i>Stylus</i> 83. <i>Stylus</i> 84. <i>Stylus</i> 85. <i>Stylus</i> 86. <i>Stylus</i> 87. <i>Stylus</i> 88. <i>Stylus</i> 89. <i>Stylus</i> 90. <i>Stylus</i> 91. <i>Stylus</i> 92. <i>Stylus</i> 93. <i>Stylus</i> 94. <i>Stylus</i> 95. <i>Stylus</i> 96. <i>Stylus</i> 97. <i>Stylus</i> 98. <i>Stylus</i> 99. <i>Stylus</i> 100. <i>Stylus</i>

Last
 Side
 Around
 Feet Reported
 Size Range
 Category

Answer: James Earl Ray

25

Certification Manager:
 Date and location of test: 11/15/2006, San Jose, CA

© 2000 Blackwell Science Ltd, *Journal of Internal Medicine* 247: 395–402

It is also important to have good communication in the workplace. This is especially true in the case of the agreement. The best way to ensure that the agreement is understood is to have a good communication plan. This plan should include a list of the key points of the agreement and a list of the people who are responsible for communicating these points. It should also include a list of the methods that will be used to communicate the information, such as email, face-to-face meetings, or a combination of the two. Finally, it should include a list of the dates when the information will be communicated.

Company Information



Automatic Injection Molding Machine



Puncture Testing Machine



Impact Resistant Testing Machine




**Tensile
testing machine**

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY