

## BYA CE standaard veters met enkelvoudig pvc-veters

Productnaam:	Zijn CE-certificaat kant enkellaar pvc-veiligheidslaarzen
Item nr:	BYA
Color:	Zwart bovenwerk met gele zool
Grootte:	38-46 (4-12)
Gemiddeld gewicht:	1,8 kg / pr (met stalen neus en stalen plaat)
materiaal:	PVC-bovenwerk en PVC-zool
Voering:	Gemakkelijk gedroogd polyester
Bouw:	PVC-injectie
Standaard	Voldoet aan de norm CE EN ISO 20345 (met stalen neus en stalen platen)
Stalen teenbescherming	Maak kennis met 200 Joule
Stalen teenbescherming	Ontmoet 1500 Newton
Lekbestendig	Ontmoet 1100 Newton
Kenmerken	<ol style="list-style-type: none"><li>1. Water / Zuur / Alkali / olie / vetbestendig, antislip, antistatische rubberen laarzen.</li><li>2. Stalen neus kan Impact &amp; &amp; bestand tegen compressie.</li><li>3. stalen plaat kan lekbestendig zijn.</li><li>4. buitenzool is slijtvast en contract.</li><li>5. Enkelbescherming, energieabsorptie op het hielzittingsgebied, versterkende teen en hiel</li><li>6. bestendig bij lage temperaturen.</li></ol>
Garantie:	5 maanden, robuuste en solide kwaliteit.
Pakket:	1 paar per polyzak, 10 paar per doos
Karton grootte:	59x31x31cm
G.W./N.W .:	18KGS / 16KGS
EENmontage van laadcontainers:	5000 paar / container 1x20 ' 10000 paar / container 1x40 ' 11000 paar / HQ container 1x40 'HQ
Proeftijd:	Binnen 1 week
Monster lading:	een paar monster is gratis, klant moet de vrachtkosten betalen.

### BYA enkellaarzen:



**Injection machine:**



**Automatic Injection  
Molding Machine**



**Puncture  
Testing Machine**



**Impact Resistant  
Testing Machine**



**Tensile  
testing machine**

**CE-certificaat:**

# EC Type Examination Certificate



### Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/685/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/685/EEC).

ITS Testing Services (UK) Ltd  
Centre Court  
Meridian Business Park  
Leicester, LE19 1WD  
United Kingdom  
Phone: +44 (0)116 263 0330  
Fax: +44 (0)116 263 0311



[www.intertek.com](http://www.intertek.com)

<b>Issued to</b>	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
<b>Authorised Representative</b>	: HEILONGJIANG SAFER CO., LTD. RM502 PUFA PLAZA, NO. 209 CHANGJIANG RD., HARBIN, CHINA	
<b>Manufacturer</b>	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
<b>Date of Issue</b>	: 26 May 2015	
<b>Expiry Date</b>	: 26 May 2020	
<b>Certificate No.</b>	: LEC FI00348759	
<b>Product Reference(s)</b>	: BBA (FW45) SAFETY BOOTS	
<b>Description</b>	: Construction	: INJECTION
	: Toecap	: 459 STEEL TOECAP
	: Midsole	: OY# 160 STEEL PLATE
	: Last	: HA-459
	: Sole	: PVC & NITRILE
	: Mould	: HA-A
	: Test Report(s)	: GZHT90504071, GZHT90391794
	: Size Range	: EUR 38-47
	: Category	: S5 SRA

*Carroll*  
Authoriser

26/05/2015

Date

*P. Williams*  
Certification Manager

26/05/2015

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 143024 Registered Office: Academy Place, 3-9 Brook Street, Warwick, CV34 7NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Distribution Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than to the Client in accordance with the agreement. For any loss, expense or damage whatsoever by the use of this Certificate. Only the Client is authorised to permit copying or reproduction of this Certificate and this only on the written consent of Intertek's Certification Manager. It is prohibited to use the Intertek name for the sale or advertisement of the tested product, provision of services and/or to be displayed in writing by Intertek.

