	Product Description
Product Name:	Anti slip waterproof steel toe mid plate pvc safety rain boots for construction
Item No:	106-4
Color:	Black upper with yellow sole
Size:	36-47
Average weight:	2.0-2.2 kgs/pr
Material:	PVC upper and PVC sole
Lining:	Easily dried polyester
Construction:	PVC injection
Standard	Meet CE EN ISO 20345 S5 standard (with steel toe and steel plates)
Steel Toe Protection	Meet 200 Joule
Steel Toe Protection	Meet 1500 Newton
Puncture Resistant	Meet 1100 Newton
Characteristics	 Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static rubber boots. Steel toe can be Impact & amp; amp; compression resistant. steel plate can be puncture resistant. outsole is abrasion resistant and Contract. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel resistant at low temperatures.
Guarantee:	5 months, robust and solid quality.
Package:	1 pair per poly bag, 10 pairs per carton
Carton Size:	50 x 30 x 48 cm
G.W./N.W.:	22KGS/ 20KGS
Usage:	Construction site, mining, oil industry, basic workplace etc.
Sample time:	Within 1 week
Sample charge:	one pair sample is free, customer need to pay the freight charge.

Product Pictures










Deburring



Production Process



Canton Fair

