Product Description

Product Name:	Waterproof safety PVC rain boots
Item No:	109
Color:	Black
Size:	38-47
Average weight:	2.2 kgs/pr (with steel toe and steel plate)
Material:	PVC upper and PVC sole
Lining:	Easily dried polyester
Construction:	PVC injection
Standard	Meet CE EN ISO 20345 standard (with steel toe and steel plates)
Steel Toe Protection	Meet 200 Joule
Steel Toe Protection	Meet 1500 Newton
Puncture Resistant	Meet 1100 Newton
Characteristics	 Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static rubber boots. Steel toe can be Impact & amp; amp; compression resistant. steel plate can be puncture resistant. outsole is abrasion resistant and Contract. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel resistant at low temperatures.
Guarantee:	5 months, robust and solid quality.
Package:	1 pair per poly bag, 10 pairs per carton
Carton Size:	50 x 30 x 48 cm
G.W./N.W.:	24KGS/ 22KGS
Sample time:	Within 1 week
Sample charge:	one pair sample is free, customer need to pay the freight charge.

Product Pictures





Certificate







Company Information



Automatic Injection Molding Machine



Puncture Testing Machine



Impact Resistant Testing Machine



Tensile testing machine

Deburring



Production Process







1. Mixing Materials

2. Putting Polyester Lining

3. PVC Injection







4. Open The Mould

5. Demoulding

6. Tidying







7. Printing

8. Inspection

9. Packaging

Canton Fair

Canton Fair





SAFETY SHOES



RAIN BOOTS





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY