

Product Description

Product Name:	pvc safety rain boots with handles
Item No:	110
Color:	Black
Size:	38-47
Average weight:	2.0 kgs/pr
Material:	PVC upper and PVC sole
Lining:	Easily dried polyester
Construction:	PVC injection
Standard	Meet CE EN ISO 20345 standard (with steel toe and steel plates)
Steel Toe Protection	Meet 200 Joule
Steel Toe Protection	Meet 1500 Newton
Puncture Resistant	Meet 1100 Newton
Characteristics	<ol style="list-style-type: none"> 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. 2. Steel toe can be Impact and compression resistant. 3. Steel plate can be puncture resistant. 4. outsole is abrasion resistant and Contract. 5. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel 6. resistant at low temperatures.
Guarantee:	5 months, robust and solid quality.
Package:	1 pair per poly bag, 10 pairs per carton
Carton Size:	50 x 30 x 48 cm
G.W./N.W.:	22KGS/ 20KGS
Sample time:	Within 7 days
Sample charge:	one piece sample is free, customer need to pay the freight charge.

Product Pictures





Certificate



Issued to:	BUNDESHANUSCHULZ, LTD. Bundeshaus in PISA, NO. 201 - 202 MARGARETENBURG, VIENNA, C. 1080.																			
Issue date:	15 September 2020																			
Expiry date:	15 September 2021																			
Contract No.:	11100000111 (extension by certificate UZ0000110000)																			
Product Reference No.:	BUNZIG 946-10001 BUNZIG 946-10000 12																			
Designation:	<table border="1"> <thead> <tr> <th>Construction</th> <th>Section</th> </tr> </thead> <tbody> <tr> <td>Thermal</td> <td>Composite Thermal</td> </tr> <tr> <td>ELC 200</td> <td>ELC 200 with integrated cable and cable lead</td> </tr> <tr> <td>Size</td> <td>1.70 m</td> </tr> <tr> <td>Color</td> <td>11000 10000</td> </tr> <tr> <td>Material</td> <td>11000 10000</td> </tr> <tr> <td>Max. max. max.</td> <td>Max. max. max. max.</td> </tr> <tr> <td>Max. range</td> <td>Max. max. max. max.</td> </tr> <tr> <td>Calculation</td> <td>Calculation</td> </tr> </tbody> </table>	Construction	Section	Thermal	Composite Thermal	ELC 200	ELC 200 with integrated cable and cable lead	Size	1.70 m	Color	11000 10000	Material	11000 10000	Max. max. max.	Max. max. max. max.	Max. range	Max. max. max. max.	Calculation	Calculation	
Construction	Section																			
Thermal	Composite Thermal																			
ELC 200	ELC 200 with integrated cable and cable lead																			
Size	1.70 m																			
Color	11000 10000																			
Material	11000 10000																			
Max. max. max.	Max. max. max. max.																			
Max. range	Max. max. max. max.																			
Calculation	Calculation																			



ISSUE: Call Date: 1/28/2009

Declaration Made by: P. Williams Date: 12/05/2018
On behalf of: HR Testing Services Ltd Limited

Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to CCC of the per copy fee of \$0.10. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Cambridge or the Cambridge University Press. This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to CCC of the per copy fee of \$0.10. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Cambridge or the Cambridge University Press. This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to CCC of the per copy fee of \$0.10. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Cambridge or the Cambridge University Press.



**Certificate of
Quality Management System**

Certificate No.: 105821Q

Copyright 1999
HEILONGJIANG SAFER CO., LTD.

Act 498, 2006, Page 12, Item 8, Training Building, 500 N. Douglas Road, Lansing, Michigan, 48906-0001, Michigan, Michigan

Has established a Quality Management System which is in accordance with the Requirements of the Standard (as applicable to Clause 4.2)

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION
Sales of Personal Protective Equipments (Foot Protective,
Hand Protective, Head Protective and Body Protective) and Traffic
Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump,
Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting
Mirror, Reflector, Reflective Corner Guard and Reflecting Spikes)

Validity of Certifications: Nov. 17, 2021 to Nov. 16, 2024

Issue Date: Nov. 17, 2021
(The effectiveness of this Certificate shall be validated by periodic surveillance visits of EDC for maintenance conditions on effectiveness of controls see <http://www.epa.gov> and official website of Certification and Accreditation Administration of Turkey A. Republic of China <http://www.aac.gov.cn>)
Expiry of This Certificate is Nov. 2022
Issued No.: 202000073

EWC₄

She We Should Consider/Don't Consider/Shouldn't/Should

Company Information



Automatic Injection Molding Machine



Puncture Testing Machine



Impact Resistant Testing Machine




**Tensile
testing machine**

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY