

Product Description

Product Name:	green pvc safety rain boots for workers
Item No:	801GB
Color:	Green upper with black sole
Size:	39-47
Average weight:	2.0-2.2 kgs/pr
Material:	PVC upper and PVC sole
Lining:	Easily dried polyester
Construction:	PVC injection
Standard	Meet CE EN ISO 20345 S5 standard (with steel toe and steel plates)
Steel Toe Protection	Meet 200 Joule
Steel Toe Protection	Meet 1500 Newton
Puncture Resistant	Meet 1100 Newton
Characteristics	<ol style="list-style-type: none"> 1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static rubber boots. 2. Steel toe can be Impact and compression resistant. 3. steel plate can be puncture resistant 1100 Newtons. 4. outsole is abrasion resistant and Contract. 5. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel 6. resistant at low temperatures.
Guarantee:	5 months, robust and solid quality.
Package:	1 pair per poly bag, 10 pairs per carton
Carton Size:	50 x 30 x 48 cm
G.W./N.W.:	22KGS/ 20KGS
Usage:	Construction site, mining, oil industry, basic workplace etc.
Sample time:	Within 1 week
Sample charge:	one pair sample is free, customer need to pay the freight charge.

Product Pictures









Certificate

[illegible]

RECEIVED CRIM Date JUN 10 1969

Declaration Made by: P. Williams Date: 12/05/2018
 Issued on behalf of: VR Testing Services Ltd Limited

[illegible]

*Certificate of
Quality Management System*

Certificate No.: 165821Q

HEILONGJIANG SAFER CO., LTD.

Add: 418 B, 418, Phase II, South B, Training Building, No. 58 Ningbo Road, Nanjing District, Nanjing City, Jiangsu Province.

Has established a Quality Management System which is in Accordance
with the Requirements of the Standard (not applicable to Clause 4.1)
GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION
Sales of Personal Protective Equipments (Foot Protective,
Hand Protective, Head Protective and Body Protective) and Traffic
Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump,
Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting
Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 *Exp.* Nov. 16, 2024
 Issues: None Nov. 18, 2021

(The effectiveness of this Certificate shall be validated by periodic surveillance visits of DRC for maintenance Conditions on effectiveness of certificate see <http://www.epgny.org> and official website of Certification and Accreditation Administration of Japan.)

EWC.



She We Build Communities! And Appreciate It. Every Day. Every



Vendor No.	HARRIS RAIL SAFETY PRODUCTS MFG. CO., LTD.		
	1000 WILKIE, KINGDA TOWN, ACHING DISTRICT, HAPPEN, HONGKONG PROVINCE, CHINA		
Issue Date	26 September 2024		
Expiry Date	26 September 2024		
Contract No.	LC1000000000		
Product Reference(s)	SBS 218-02 SBS1 BOOT		
Designation	Construction	SECTION	
	Material	403 000, 100000	
	Mechanism	010 000 0100, 0.10	
	Size	0.10-0.05	
	Load	0.10 0.1000	
	Material	0.10 0.1000	
	Test Report(s)	0.1000000000, 0.10	
	Size Range	0.10 0.10	



Accepted: James G. Kelly Date: 10/24/2018

Certification Manager: [Signature] Date: 26/03/2018
 For and on behalf of ITS Training Services (UK) Limited

[illegible]

Company Information



Automatic Injection Molding Machine



Puncture Testing Machine



Impact Resistant Testing Machine




**Tensile
testing machine**

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY