

## Product Description

|                      |  |
|----------------------|--|
| Product Name:        | Custom logo waterproof PVC yellow slush boots  |
| Item No:             | R020   |
| Color:               | Yellow or others   |
| Size:                | 10-18  |
| Average weight:      | 2.8-3.0 kgs/pr   |
| Material:            | PVC upper and PVC sole   |
| Lining:              | Easily dried polyester   |
| Construction:        | PVC injection  |
| Standard             | Meet CE EN ISO 20347 O5 standard (without steel toe and steel plates)  |
| Steel Toe Protection | No   |
| Steel Toe Protection | No   |
| Puncture Resistant   | No   |
| Characteristics      | <ol style="list-style-type: none"><li>1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static rubber boots.</li><li>2. Steel toe cap &amp; steel mid plate not available.</li><li>3. outsole is abrasion resistant and Contract.</li><li>4. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel</li><li>5. Resistant at low temperatures.</li></ol> |
| Guarantee:           | 5 months   |
| Package:             | 1 pair per poly bag, 6 pairs per carton  |
| Carton Size:         | 43 x 43 x 36 cm  |
| G.W./N.W.:           | 20KGS/ 18KGS   |
| Usage:               | Farming, agriculture, garden, basic workplace, construction site etc.  |
| Sample time:         | Within 1 week  |
| Sample charge:       | one piece sample is free, customer need to pay the freight charge.   |

## Product Pictures





**Certificate**



## Company Information



**Automatic Injection Molding Machine**



**Puncture Testing Machine**



**Impact Resistant Testing Machine**




**Tensile testing machine**

# Deburring



# Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

*Canton Fair*

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY