

Product Description

Product Name:	2022 new pvc yellow slush boots for USA market
Item No:	R020
Color:	Yellow or others
Size:	10-18
Average weight:	2.8-3.0 kgs/pr
Material:	PVC upper and PVC sole
Lining:	Easily dried polyester
Construction:	PVC injection
Standard	Meet CE EN ISO 20347 O5 standard (without steel toe and steel plates)
Steel Toe Protection	No
Steel Toe Protection	No
Puncture Resistant	No
Characteristics	1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static PVC slush boots 2. Steel toe cap and steel mid plate not available. 3. outsole is abrasion resistant and Contract. 4. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel 5. Resistant at low temperatures.
Guarantee:	5 months
Package:	1 pair per poly bag, 6 pairs per carton
Carton Size:	43 x 43 x 36 cm
G.W./N.W.:	20KGS/ 18KGS
Usage:	Industrial, farming, agriculture, garden, basic workplace, construction site etc.
Sample time:	Within 1 week
Sample charge:	one piece sample is free, customer need to pay the freight charge.

Product Pictures






Certificate

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY