

## BYA CE arrumar botas de segurança de pingente de tornozelo

Nome do Produto:	Tenha certificado CE de renda até botas de segurança para o tornozelo
Item número:	BYA
Color:	Parte superior preta com sola amarela
Tamanho:	38-46 (4-12)
Peso médio:	1,8 kg / pr (com ponta de aço e placa de aço)
material:	PVC superior e sola de PVC
Forro:	Poliéster seco facilmente
Construção:	Injeção de PVC
Padrão	Cumprir o padrão CE EN ISO 20345 (com placa de aço e placas de aço)
Proteção do dedo do pé de aço	Conheça 200 Joule
Proteção do dedo do pé de aço	Conheça 1500 Newton
Resistente à punção	Conheça 1100 Newton
Características	<ol style="list-style-type: none"><li>1. Botas de borracha anti-estática, antiderrapante, anti-estática / borracha de água / ácido / alcalino / óleo / graxa.</li><li>2. O dedo de aço pode ser Impacto &amp; &amp; resistente à compressão.</li><li>3. A chapa de aço pode ser resistente à punção.</li><li>4. A sola exterior é resistente à abrasão e Contrato.</li><li>5. Proteção do tornozelo, absorção de energia na região do assento do calcanhar, reforço dos dedos e do calcanhar</li><li>6. resistente a baixas temperaturas.</li></ol>
Garantia:	5 meses, qualidade robusta e sólida.
Pacote:	1 par por saco poli, 10 pares por cartão
Tamanho da caixa:	59x31x31cm
G.W./N.W .:	18KGS / 16KGS
UMAmontagem de recipientes de carga:	5000 pares / recipiente 1x20 ' 10000 pares / recipiente 1x40 ' 11000 pares / recipiente HQ 1x40 'HQ
Tempo de amostra:	Dentro de 1 semana
Taxa de amostra:	uma amostra de um par é gratuita, o cliente precisa pagar a taxa de frete.

## BYA botas de chuva de tornozelo:



**Máquina de inserção:**



**Automatic Injection  
Molding Machine**



**Puncture  
Testing Machine**



**Impact Resistant  
Testing Machine**



**Tensile  
testing machine**

**Certificado CE:**

# EC Type Examination Certificate



### Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/685/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/685/EEC).

ITS Testing Services (UK) Ltd  
Centre Court  
Meridian Business Park  
Leicester, LE19 1WD  
United Kingdom  
Phone: +44 (0)116 263 0330  
Fax: +44 (0)116 263 0311



[www.intertek.com](http://www.intertek.com)

<b>Issued to</b>	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
<b>Authorised Representative</b>	: HEILONGJIANG SAFER CO., LTD. RM502 PUFA PLAZA, NO. 209 CHANGJIANG RD., HARBIN, CHINA	
<b>Manufacturer</b>	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
<b>Date of Issue</b>	: 26 May 2015	
<b>Expiry Date</b>	: 26 May 2020	
<b>Certificate No.</b>	: LEC FI00348759	
<b>Product Reference(s)</b>	: BBA (FW45) SAFETY BOOTS	
<b>Description</b>	: Construction	: INJECTION
	: Toecap	: 459 STEEL TOECAP
	: Midsole	: OY# 160 STEEL PLATE
	: Last	: HA-459
	: Sole	: PVC & NITRILE
	: Mould	: HA-A
	: Test Report(s)	: GZHT90504071, GZHT90391794
	: Size Range	: EUR 38-47
	: Category	: S5 SRA

*Carroll*  
Authoriser

26/05/2015

Date

*P. Williams*  
Certification Manager

26/05/2015

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 143024 Registered Office: Academy Place, 3-9 Brook Street, Warwick, CV34 7NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Distribution Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than to the Client in accordance with the agreement. For any loss, expense or damage whatsoever by the use of this Certificate. Only the Client is authorised to permit copying or reproduction of this Certificate and this only on the written consent of Intertek's Certification Manager. It is prohibited to use the Intertek name for the sale or advertisement of the tested product, provision of services and/or to be displayed in writing by Intertek.

