BYA CE arrumar botas de segurança de pingente de tornozelo

Nome do Produto:	Tenha certificado CE de renda até botas de segurança para o tornozelo
Item número:	BYA
Color:	Parte superior preta com sola amarela
Tamanho:	38-46 (4-12)
Peso médio:	1,8 kg / pr (com ponta de aço e placa de aço)
material:	PVC superior e sola de PVC
Forro:	Poliéster seco facilmente
Construção:	Injeção de PVC
Padrão	Cumpre o padrão CE EN ISO 20345 (com placa de aço e placas de aço)
Proteção do dedo do pé de aço	Conheça 200 Joule
Proteção do dedo do pé de aço	Conheça 1500 Newton
Resistente à punção	Conheça 1100 Newton
Características	1. Botas de borracha anti-statica, antiderrapante, anti-estática / borracha de água / ácido / alcalino / óleo / graxa. 2. O dedo de aço pode ser Impacto & & & resistente à compressão. 3. A chapa de aço pode ser resistente à punção. 4. A sola exterior é resistente à abrasão e Contrato. 5. Proteção do tornozelo, absorção de energia na região do assento do calcanhar, reforço dos dedos e do calcanhar 6. resistente a baixas temperaturas.
Garantia:	5 meses, qualidade robusta e sólida.
Pacote:	1 par por saco poli, 10 pares por cartão
Tamanho da caixa:	59x31x31cm
G.W./N.W .:	18KGS / 16KGS
UMAmontagem de recipientes de carga:	5000 pares / recipiente 1x20 ' 10000 pares / recipiente 1x40 ' 11000 pares / recipiente HQ 1x40 'HQ
Tempo de amostra:	Dentro de 1 semana
Taxa de amostra:	uma amostra de um par é gratuita, o cliente precisa pagar a taxa de frete.

BYA botas de chuva de tornozelo:

Máquina de inserção:

Automatic Injection Molding Machine

Puncture Testing Machine

Impact Resistant Testing Machine

Tensile testing machine

Certificado CE:

Intertek

EC Type Examination Certificate

CE

Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311

Issued to	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA
Authorised Representative	: HEILONGJIANG SAFER CO., LTD. RM502 PUFA PLAZA, NO. 209 CHANGJIANG RD.,HARBIN, CHINA
Manufacturer	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA
Date of Issue	: 26 May 2015
Expiry Date	: 26 May 2020
Certificate No.	: LEC FI00348759
Product Reference(s)	: BBA (FW45) SAFETY BOOTS

Description

Construction	:	INJECTION
Toecap	:	459 STEEL TOECAP
Midsole	:	OY# 160 STEEL PLATE
Last	:	HA-459
Sole	:	PVC & NITRILE
Mould	:	HA-A
Test Report(s)	:	GZHT90504071, GZHT90391794
Size Range	:	EUR 38-47
Category	:	S5 SRA

Carbell — 26/05/2015
Assessor — Date

P. Williams — 26/05/2015
Certification Manager — Date

For and on behalf of **ITS Testing Services (UK) Limited**

www.intertek.com

Registered in England No. 1101264 Registered Office: Academy Place, 1-3 Brook Street, Brentwood, Essex, CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Distribution agreement between Intertek and its Client. Intertek's unsuccessful and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorised to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in this agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.