

## Стандарт ВУА СЕ зашнуровать ботинки безопасности рвс голеностопного сустава

Наименование товара:	Сертификат СЕ зашнуровать ботинки безопасности рвс голеностопного сустава
Предмет номер:	ВУА
COlor:	Черный верх с желтой подошвой
Размер:	38-46 (4-12)
Средний вес:	1,8 кг / л (со стальным носком и стальной пластиной)
материал:	ПВХ верхняя и ПВХ подошва
Подкладка:	Легко высушенный полиэфир
Строительство:	Ввод ПВХ
стандарт	Соответствует стандарту СЕ EN ISO 20345 (со стальным носком и стальными пластинами)
Защита от статического пальца	Встречайте 200 джоулей
Защита от статического пальца	Знакомство с 1500 Ньютон
Прочность на прокол	Встречайте 1100 Ньютон
Характеристики	<ol style="list-style-type: none"><li>1. Вода / Кислота / Щелочные / масло / жиростойчивые, нескользящие, антистатические резиновые сапоги.</li><li>2. Стальной носок может быть Impact &amp; усилитель; усилитель; устойчивость к сжатию.</li><li>3. Стальная пластина может быть устойчивой к проколу.</li><li>4. подошва устойчива к истиранию и контракту.</li><li>5. Защита лодыжки, поглощение энергии в области пятки, укрепление носка и пятки</li><li>6. Устойчив при низких температурах.</li></ol>
Гарантия:	5 месяцев, надежное и надежное качество.
Пакет:	1 пара на поли мешок, 10 пар в коробке
Размер коробки:	59x31x31cm
G.W./N.W .:	18KGS / 16KGS
крепление грузовых контейнеров:	5000 пар / контейнер 1x20 ' 10000 пар / контейнер 1x40 ' 11000 пар / контейнер HQ 1x40 'HQ
Время выборки:	В течение 1 недели
Заряд образца:	один образец пары свободен, клиент должен оплатить фрахт.

### Боевые сапоги ВУА:



**Инкубационная машина:**



**Automatic Injection  
Molding Machine**



**Puncture  
Testing Machine**



**Impact Resistant  
Testing Machine**



**Tensile  
testing machine**

**Сертификат CE:**

# EC Type Examination Certificate



### Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/685/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/685/EEC).

ITS Testing Services (UK) Ltd  
Centre Court  
Meridian Business Park  
Leicester, LE19 1WD  
United Kingdom  
Phone: +44 (0)116 263 0330  
Fax: +44 (0)116 263 0311



[www.intertek.com](http://www.intertek.com)

<b>Issued to</b>	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
<b>Authorised Representative</b>	: HEILONGJIANG SAFER CO., LTD. RM502 PUFA PLAZA, NO. 209 CHANGJIANG RD., HARBIN, CHINA	
<b>Manufacturer</b>	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA	
<b>Date of Issue</b>	: 26 May 2015	
<b>Expiry Date</b>	: 26 May 2020	
<b>Certificate No.</b>	: LEC FI00348759	
<b>Product Reference(s)</b>	: BBA (FW45) SAFETY BOOTS	
<b>Description</b>	: Construction	: INJECTION
	: Toecap	: 459 STEEL TOECAP
	: Midsole	: OY# 160 STEEL PLATE
	: Last	: HA-459
	: Sole	: PVC & NITRILE
	: Mould	: HA-A
	: Test Report(s)	: GZHT90504071, GZHT90391794
	: Size Range	: EUR 38-47
	: Category	: S5 SRA

*Carroll*  
Authoriser

26/05/2015

Date

*P. Williams*  
Certification Manager

26/05/2015

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1402624 Registered Office: Academy Place, 3-9 Brook Street, Warwick, CV34 7NG

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Distribution Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than to the Client in accordance with the agreement. For any loss, expense or damage whatsoever by the use of this Certificate. Only the Client is authorised to permit copying or reproduction of this Certificate and this only on the written consent of Intertek's Certification Manager. It is prohibited to use the information set out in this agreement and on this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested product, provision of services and/or to be deemed in writing by Intertek.

